

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

* 1 Identification

- **Product Identifier**
- **Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER**
- **Relevant identified uses of the substance or mixture and uses advised against:**
Only for professional use.
- **Product Description:** Mixture
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
ADCOS LLC
2131 SE 15th Place
Cape Coral, FL 33990
P: 6037700351
info@adcosusa.com
- **Emergency telephone number:** 603-770-0351

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

Aquatic Acute 3

H402 Harmful to aquatic life.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Warning
- **Hazard-determining components of labeling:**
Diethanolamine
- **Hazard statements:**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.
H402 Harmful to aquatic life.
- **Precautionary statements:**
P201 Obtain special instructions before use.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER

- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P314 Get medical advice/attention if you feel unwell.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**


This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.

· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Hazard(s) not otherwise classified (HNOC):** None known

*** 3 Composition/Information on Ingredients**

· **Chemical characterization: Substance**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

CAS: 111-42-2 RTECS: KL 2975000	Diethanolamine ⚠ Carcinogenicity 2, H351; Specific Target Organ Toxicity - Repeated Exposure 2, H373; ⚠ Eye Damage 1, H318; ⚠ Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Aquatic Acute 3, H402	15-35%
CAS: 111-46-6 RTECS: ID 5950000	Diethylene Glycol ⚠ Acute Toxicity - Oral 4, H302	15-35%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER

*** 4 First-Aid Measures**

- **Description of first aid measures**
- **General information:** If symptoms persist, call a physician.
- **After inhalation:** Supply fresh air. No hazards which require first aid measures.
- **After skin contact:**
Wash off with soap and plenty of water. Get medical attention if irritation develops and persist.
- **After eye contact:** Rinse opened eye for several minutes under running water, then consult a doctor.
- **After swallowing:**
Do not induce vomiting unless directed to do so by medical personnel. Get medical attention immediately if symptoms occur.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

*** 5 Fire-Fighting Measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:**
Carbon oxides (Cox), Nitrogen oxides (NOx), hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

*** 6 Accidental Release Measures**

- **Personal precautions, protective equipment and emergency procedures:**
Avoid contact with skin and eyes.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

· PAC-1:		
111-42-2	Diethanolamine	3 mg/m ³
111-46-6	Diethylene Glycol	6.9 ppm
· PAC-2:		
111-42-2	Diethanolamine	28 mg/m ³
111-46-6	Diethylene Glycol	140 ppm

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER

· PAC-3:		
111-42-2	Diethanolamine	130 mg/m ³
111-46-6	Diethylene Glycol	860 ppm

* 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Keep container tightly sealed.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

* 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**

· Components with occupational exposure limits:	
111-42-2 Diethanolamine	
REL	Long-term value: 15 mg/m ³ , 3 ppm
TLV	Long-term value: 1* mg/m ³ Skin; *inhalable fraction and vapor, A3
TWA	Short-term value: 10 mg/m ³
111-46-6 Diethylene Glycol	
WEEL	Long-term value: 10 mg/m ³

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· **Eye protection:**



Tightly sealed goggles

· **Limitation and supervision of exposure into the environment:**

Keep away from drains, surface and ground waters.
Avoid release into the environment.

* 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Clear to slightly yellow
Odor:	Characteristic
Odor threshold:	Not determined.

· **pH-value:** 7-11

· **Change in condition**

Melting point/Melting range:	<0 °C (<32 °F)
Boiling point/Boiling range:	≥100 °C (≥212 °F)

· **Flash point:** None

· **Flammability (solid, gaseous):** Not applicable.

· **Auto igniting:** Not applicable

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure:** Not determined.

· **Density @ 20 °C (68 °F):** 1.00-1.20 g/cm³ (8.345-10.014 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

· **Evaporation rate:** Not determined.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER

- **Solubility in / Miscibility with:**
 - Water:** Fully miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

*11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

LD/LC50 values that are relevant for classification:		
111-42-2 Diethanolamine		
Oral	LD50	1,600 mg/kg (Rat)
Dermal	LD50	12,200 mg/kg (rabbit)
111-46-6 Diethylene Glycol		
Oral	LD50	12,565 mg/kg (Rat)
Dermal	LD50	11,890 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Strong irritant with the danger of severe eye injury. Irritating effect.
- **Additional toxicological information:** The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**
 - Group 1 - Carcinogenic to humans
 - Group 2A - Probably carcinogenic to humans
 - Group 2B - Possibly carcinogenic to humans
 - Group 3 - Not classifiable as to its carcinogenicity to humans
 - Group 4 - Probably not carcinogenic to humans

111-42-2	Diethanolamine	2B
----------	----------------	----

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

* 12 Ecological Information

· Toxicity:**· Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

111-42-2 Diethanolamine

EC50 | 2.2 mg/l (Green algae)

· Persistence and degradability: No further relevant information available.**· Behavior in environmental systems:****· Bioaccumulative potential:** No further relevant information available.**· Mobility in soil:** No further relevant information available.**· Additional ecological information:****· General notes:** Not known to be hazardous to water.**· Results of PBT and vPvB assessment:****· PBT:** Not applicable.**· vPvB:** Not applicable.**· Other adverse effects:** No further relevant information available.

13 Disposal Considerations

· Waste treatment methods**· Recommendation:**

Must not be disposed of together with household waste. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packaging**· Recommendation:** Disposal must be made according to official regulations.**· Recommended cleansing agent:** Water, if necessary with cleansing agents.

* 14 Transport Information

· UN-Number:**· DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

· UN proper shipping name:**· DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

· Transport hazard class(es):**· DOT, ADR/ADN, ADN, IMDG, IATA****· Class:**

Non-Regulated Material

· Packing group:**· DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

· Environmental hazards:

Not applicable.

· Special precautions for user:

Not applicable.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER

· **UN "Model Regulation":** Non-Regulated Material

*** 15 Regulatory Information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
No further relevant information available.

· **SARA (Superfund Amendments and Reauthorization):**

Section 355 (extremely hazardous substances):	None of the ingredients are listed.
--	-------------------------------------

Section 313 (Specific toxic chemical listings):	111-42-2 Diethanolamine
--	-------------------------

TSCA (Toxic Substances Control Act):	All components have the value ACTIVE.
---	---------------------------------------

Hazardous Air Pollutants	111-42-2 Diethanolamine
---------------------------------	-------------------------

· **California Proposition 65:**

Chemicals known to cause cancer:	111-42-2 Diethanolamine
---	-------------------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

111-42-2 Diethanolamine

· **New Jersey Special Hazardous Substance List:**

111-42-2 Diethanolamine		CO
-------------------------	--	----

· **Pennsylvania Right-to-Know List:**

111-42-2 Diethanolamine
111-46-6 Diethylene Glycol

· **Pennsylvania Special Hazardous Substance List:**

111-42-2 Diethanolamine		E
-------------------------	--	---

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

111-42-2 Diethanolamine		A3
-------------------------	--	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER**Hazard pictograms:****Signal word:** Warning**Hazard-determining components of labeling:**

Diethanolamine

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H402 Harmful to aquatic life.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P314 Get medical advice/attention if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Contact:**Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACRYLINJECT GEOTECHNICAL HARDENER

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Carcinogenicity 2: Carcinogenicity – Category 2

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

*** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106